



TITLE:

Establishment of the method for the
selective detection of the radiosensitivity of
quiescent cells in solid tumors(
Dissertation_全文)

AUTHOR(S):

Masunaga, Shin-ichiro

CITATION:

Masunaga, Shin-ichiro. Establishment of the method for the selective detection of the radiosensitivity of quiescent cells in solid tumors. 京都大学, 1991, 医学博士

ISSUE DATE:

1991-03-23

URL:

<https://doi.org/10.11501/3052954>

RIGHT:

本文は出版社の許諾条件により公開していません

②

Establishment of the method for the selective detection
of the radiosensitivity of quiescent cells in solid tumors
(固形腫瘍内静止期細胞の放射線感受性検出法の確立に関する研究)

増永慎一郎

INT. J. RADIAT. BIOL., 1990, VOL. 58, NO. 2, 303-311

Use of the micronucleus assay for the selective detection of radiosensitivity in BUdR-unincorporated cells after pulse-labelling of exponentially growing tumour cells

S. MASUNAGA^{†‡}, K. ONO[†], E. O. WANDL[§], M. FUSHIKI[†]
and M. ABE[†]

[†]Department of Radiology, Faculty of Medicine, Kyoto University,
54 Shogoin-Kawahara-cho, Sakyo-ku, Kyoto 606, Japan

[§]University Clinic for Radiotherapy and Radiobiology, Alser Strasse 4,
1090, Vienna, Austria